

CAS#:107-21-1

MATERIAL SAFETY DATA SHEET(MSDS) OF MONO ETHYLENE GLYCOL

Version 4.0 Revision Date 02/ 26 / 2024

Print Date 02/ 26 /2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

1.IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name : Mono Ethylene Glycol

Company : Changzhou highassay ChemicalCo.,LTD

Address: NO. 23 Lijiang Rd, Xixiashu,Town, Xinbei District, Changzhou, Jiangsu, China .

Zip Code: 213000

Telephone : +86 519-88995182

Emergency Phone : +86-519-88995182

E -mail address : sales@highassay.com

2 .COMPOSITION,INFORMATION ON INGREDIENTS

CAS#	Chemical Name	Formula	Molecular Weight	EINECS #	H. S. CODE
107-21-1	Mono Ethylene Glycol	C2H6O2	62.07g/mol	203-473-3	2905310000

Compositon of Mono Ethylene Glycol

Ingerdients	Percentage	CAS No.
Mono Ethylene Glycol	99.8%	107-21-1
Acetic Acid	0.001%	64-19-7
Water	0.1%	7732-18-5
Iron	0.00001%	7439-89-6
Ash	0.001%	68131-74-8
Formaldehyde	0.0008%	50-00-0
Diethylene Glycol	0.1	111-46-6

3.HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Harmful by ingestion., Irritant, Teratogen

Target Organs

Liver, Cardiovascular system., Eyes, Kidney, Central nervous system

GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/eye protection/face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 Rinse mouth.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to an approved waste disposal plant.

HMIS Classification

Health hazard: 2

Chronic Health Hazard: *

Flammability: 1

Physical hazards: 1

NFPA Rating

Health hazard: 2

Fire: 1

Reactivity Hazard: 1

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

Ingestion Harmful if swallowed.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE – FIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapour or mist.

Normal measures for preventive fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No	Value	Control parameters	Update	Basis
Mono Ethylene Glycol	107-21-1	C	50ppm 125mg/33	1989-01-19	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		C	100mg/m ³	2007-01-01	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Eye & Upper Respiratory Tract irritation Not classifiable as a human carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories.				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Face shield and safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Colour colourless

Safety data

pH no data available

Melting point -13 °C (9 °F)

Boiling point 196 - 198 °C (385 - 388 °F)

Flash point 111 °C (232 °F) - closed cup

Ignition temperature 400 °C (752 °F)

Lower explosion limit 3.2 %(V)

Upper explosion limit 15.3 %(V)

Vapour pressure 0.11 hPa (0.08 mmHg) at 20 °C (68 °F)

0.13 hPa (0.10 mmHg) at 20 °C (68 °F)

Density 1.113 g/mL at 25 °C (77 °F)

Water solubility completely miscible soluble

Partition coefficient: log Pow: -1.36

n-octanol/water

10. STABILITY AND REACTIVITY DATA

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

no data available

Materials to avoid

Strong acids, Strong oxidizing agents, Strong bases, Aldehydes, Aluminum

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

INFORMATION Acute toxicity

LD50 Oral - rat - 4,700 mg/kg

LD50 Dermal - rabbit - 10,626 mg/kg

Skin corrosion/irritation

Serious eye damage/eye irritation

Eyes - rabbit - Mild eye irritation - 24 h

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Laboratory experiments have shown teratogenic effects.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure (GHS)

no data available

Specific target organ toxicity - repeated exposure (GHS)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion Harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

Signs and Symptoms of Exposure

When ingested early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage., Exposure to and/or consumption of alcohol may increase toxic effects.

Additional Information

RTECS: KW2975000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 18,500 mg/l - 96 h

LC50 - Leuciscus idus (Golden orfe) - > 10,000 mg/l - 48 h

NOEC - Pimephales promelas (fathead minnow) - 32,000 mg/l - 7 d

NOEC - Pimephales promelas (fathead minnow) - 39,140 mg/l - 96 h

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 74,000 mg/l - 24 h

and other aquatic invertebrates.

NOEC - Daphnia - 24,000 mg/l - 48 h

LC50 - Daphnia magna (Water flea) - 41,000 mg/l - 48 h

Persistence and degradability

no data available

Bioaccumulative potential

Does not bioaccumulate.

Bioaccumulation other fish - 61 d

Bioconcentration factor (BCF): 0.60

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN-Number

ADR,RID,ADN, IMDG, IATA Not applicable.

14.2 UN proper shipping name

ADR,RID,ADN, IMDG, IATA Not applicable.

14.3 Transport hazard class(es)

ADR,RID,ADN, IMDG, IATA
Class Not applicable.

14.4 Packing group

ADR,RID,ADN, IMDG, IATA Not applicable.

14.5 Environmental hazards Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

14.8 Transport/Additional information: Not dangerous according to the above specifications.

UN "Model Regulation":

14.9 IMO/IMDG Not regulated.

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Harmful by ingestion, Irritant, Teratogen

DSL Status

All compnets of this product are on the Canadian DSL list.

SARA 302 Compents

SARA 302: No chemicals in this materials are subject to the reporting requirements of SARA Title iii, Section 302.

SARA 313 Components

	CAS NO.	Revision Date
Mono Ethylene Glycol	107-21-1	2007-07-01

SARA 311/312 Hazards

Acute Health Hzard, Chronic Health Hazard

Massachusetts Right tTo Know Components

	CAS NO.	Revision Date
Mono Ethylene Glycol	107-21-1	2007-07-01

Pennsylvania Right To Know Components

	CAS NO.	Revision Date
Mono Ethylene Glycol	107-21-1	2007-07-01

New Jersey Right tTo Know Components

	CAS NO.	Revision Date
Mono Ethylene Glycol	107-21-1	2007-07-01

California Prop3 65 Compents

This product does not contain any chemicals knowns to State of California to cause cancer, birth defects, or any other reproductive harm.

16、 OTHER INFORMATION

The above information pertains to this product as currently formulated, and is based on the information available at this time. Additional of reducers or other additives to this product may substantially alter the compositon and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information.